

# Product Environmental Profile

## Luxul® WiFi Wireless Router



### COMPANY OVERVIEW

#### • Sustainability built in to support our associates, customers, and the environment

At Legrand North and Central America, we're committed to leading by example within our own operations, to developing high quality solutions for our customers' High Performance Buildings, and to transforming how people live and work – more safely, more comfort-ably, more efficiently.

#### • Better Performance

A core principle of designing for sustainability drives us to innovate products and systems that enable buildings to reach exceptional levels of performance, bringing about industry-leading ideas, inventions and initiatives.

#### • Better Operations

A commitment to a leadership role in operational excellence through environmental management, optimizing the way we manage energy, water and waste.

#### • Better Lives

A dedication to enhancing employee and community welfare through programs that help people enjoy healthier, more productive and more rewarding lives.

For more information on Legrand's PEPs and other sustainability initiatives, visit [legrand.us/about-us/sustainability](http://legrand.us/about-us/sustainability).



### LEGRAND'S ENVIRONMENTAL COMMITMENTS

#### • Incorporate environmental management into our industrial sites

Of all Legrand sites worldwide, over 85% are ISO 14001 certified (sites belonging to Legrand for more than five years).

#### • Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

#### • Involve the environment in product design

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



### REFERENCE PRODUCT

Function	Providing wireless connection with devices and networks during a 10-year life time.
Reference Product	
	Part Number XWR-3150
	EPIC 3 - Dual Band Wireless AC3100 Gigabit Router w/ Domotz & Router Limits with US Power Cord

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.

# Product Environmental Profile

**Luxul® WiFi Wireless Router**



## PRODUCTS CONCERNED

The environmental data is representative of the following products: XWR-1200, and XWR-3150



## CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects and complies with the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EC.

Total weight of Reference Product with unit packaging		1,347 g			
Plastics as % of weight		Metals as % of weight		Others as % of weight	
Product					
Polycarbonate	10.6%	Copper and alloys	7.7%	Electric circuit board	9.8%
ABS	10.6%	Steel	0.4%	Power supply	13.2%
Silicone rubber	10.1%			Cable	3.6%
Packaging					
LDPE	0.6%			Cardboard	29.7%
				Paper	3.6%
Total plastics	31.9%	Total metals	8.1%	Total others	59.9%



## MANUFACTURING

This Reference Product come from a site that observes the applicable legislation for industrial sites.



## DISTRIBUTION

Products are distributed from logistics centers located to optimize transport efficiency using EPA SmartWay® certified carriers to reduce greenhouse gases emissions. Information on the distance of distribution is not available so the PCR hypothesis for “Intracontinental transport”, 2175 miles (3500 km) by heavy truck, was used. This represents transportation of the Reference Product from our warehouse to the local point of distribution in the North American market.

# Product Environmental Profile

## Luxul® WiFi Wireless Router



### INSTALLATION

For the installation of the product, only standard tools are needed.



### USE

#### Servicing and maintenance:

Under normal conditions of use, this type of product requires no servicing or maintenance.

#### Consumable:

No consumables are necessary to use this type of product.



### END OF LIFE

#### • Hazardous waste\* contained in the product: no hazardous waste

(\*) Hazardous waste as defined by European Commission decision 2000/532/EC.

#### • Recycling rate:

Calculated using the disposal pathway described in US EPA's Advancing Sustainable Materials Management: 2018 Facts and Figures Report, the recyclability rate of the Reference Product is estimated as 38.5%. This value is based on data collected from a technological channel using industrial procedures. It does not pre-validate the effective use of this product for end-of-life electrical and electronic products.

Separated into:	(% mass of Reference Product with packaging)
- plastic materials:	2.7%
- metal materials:	2.8%
- other materials:	10.3%

Recycling rate of packaging	(% mass of Reference Product with packaging)
- all types of materials:	22.8%



### ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use, and end of life. It is representative of products marketed and used in North America.

The following modelling elements were taken into account:

<b>Manufacturing</b>	Packaging taken into account. As required by the PEP ecopassport program, all transport for the manufacturing of the Reference Product, including materials and components, has been taken into account. The waste generated during manufacturing phase has been taken into account.
<b>Distribution</b>	Transport between the last distribution center and an average delivery to the sales area. The default scenario modelled maximizes the environmental impact using the PCR hypothesis for "local transport": 2175 miles (3500 km) by heavy truck.
<b>Installation</b>	The end of life of the packaging (0.46 kg) is taken into account at this phase. Transport of packaging to end of life treatment is taken into account at this phase.
<b>Use</b>	<ul style="list-style-type: none"> <li>• Under normal conditions of use, this type of product requires no servicing or maintenance.</li> <li>• No consumables are necessary to use this type of product.</li> <li>• Product category: WiFi Router</li> <li>• Use scenario: 35 W power consumption during the 10 year working life. Twenty-four hours per day and 365 days per year.</li> <li>• Energy model: Electricity(US) - 2009</li> </ul>
<b>End of life</b>	The end of life scenario models the environmental impact using PCR hypothesis for "intracontinental transport": 621 miles [1000 km].
<b>Software used</b>	EIME V5.9.1 and its database "CODDE-2020-12" and the indicators defined in the PCR ed 3 in alignment with the EN15804 standard

# Product Environmental Profile


Luxul® WiFi Wireless Router



## ENVIRONMENTAL IMPACTS (continued)

	Total for Life cycle		Raw material and manufacturing		Distribution		Installation		Use		End of life	
<b>Global warming (GW)</b>	1.87E+03	kg CO <sub>2</sub> eq.	2.00E+01	1%	2.35E-01	0%	1.93E-01	0%	1.85E+03	99%	1.01E-01	0%
<b>Ozone depletion (OD)</b>	3.64E-05	kg CFC-11 eq.	2.89E-06	8%	4.75E-10	0%	5.10E-10	0%	3.35E-05	92%	3.78E-09	0%
<b>Acidification of soil and water (A)</b>	1.81E+00	kg SO <sub>2</sub> eq.	3.78E-02	2%	1.05E-03	0%	1.55E-04	0%	1.77E+00	98%	3.87E-04	0%
<b>Water eutrophication (WE)</b>	4.86E-01	kg PO <sub>4</sub> <sup>3-</sup> eq.	1.84E-02	4%	2.42E-04	0%	3.52E-04	0%	4.67E-01	96%	2.78E-04	0%
<b>Photochemical ozone creation (POCP)</b>	2.87E-01	kg C <sub>2</sub> H <sub>4</sub> eq.	3.51E-03	1%	7.49E-05	0%	4.84E-05	0%	2.83E-01	99%	3.28E-05	0%
<b>Depletion of abiotic resources - elements (ADPe)</b>	5.90E-03	kg Sb eq.	5.88E-03	100%	9.39E-09	0%	1.30E-09	0%	1.81E-05	0%	4.88E-09	0%
<b>Total use of primary energy (PE)</b>	2.51E+04	MJ	2.77E+02	1%	3.32E+00	0%	4.57E-01	0%	2.49E+04	99%	1.32E+00	0%
<b>Net use of fresh water (FW)</b>	3.93E+00	m <sup>3</sup>	6.64E-01	17%	2.10E-05	0%	7.53E-05	0%	3.26E+00	83%	8.48E-05	0%
<b>Depletion of abiotic resources – fossil fuels (ADP<sub>f</sub>)</b>	2.27E+04	MJ	2.28E+02	1%	3.30E+00	0%	4.42E-01	0%	2.25E+04	99%	1.16E+00	0%
<b>Water pollution (WP)</b>	9.43E+04	m <sup>3</sup>	3.14E+03	3%	3.86E+01	0%	1.57E+01	0%	9.11E+04	97%	1.25E+01	0%
<b>Air pollution (AP)</b>	1.59E+05	m <sup>3</sup>	1.79E+03	1%	9.62E+00	0%	2.14E+00	0%	1.57E+05	99%	1.04E+01	0%

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of [pep-ecopassport.org](http://pep-ecopassport.org) website. The environmental impacts of the Reference Product are representative of the products covered by the PEP, which therefore constitute a homogeneous environmental family.



The environmental impact of the Reference Product occurs predominantly during the raw material and manufacturing phase.

# Product Environmental Profile

**Luxul® WiFi Wireless Router**



## ENVIRONMENTAL IMPACTS (continued)

For products other than the Reference Product, the environmental impacts for Distribution are proportional to the mass of the reference Product. The impacts for Manufacturing, Installation, Use, and End of Life of the various products in the family should then be multiplied by the corresponding values for the applicable products in the table below.

Part Number	Manufacturing		Distribution	Installation	Use	End of Life	
XWR-1200	GW & POCP: 1.3	WE: 1	1.8	3.2	0.5	OD: 1.5	FW: 1.3
	A: 1.5	ADPe:0.9				WE: 0.8	PE & ADPf: 1.2
	PE & ADPf: 1.2	FW: 0.5				ADPe: 1	All else: 1.1
	All else: 1.1						

Registration number: LGRP-01467-V01.01-EN

Drafting rules: "PCR-ed3-EN-2015 04"

Verifier's accreditation number: VH43

Information and reference documents: [www.pep-ecopassport.org](http://www.pep-ecopassport.org)

Date of issue: 12-2021

Validity period: 5 years

Independent verification of the declaration and data, in compliance with ISO 14025:2010 Internal

☐ External ☒

The PCR Review was conducted by a panel of experts chaired by Philippe Osset (SOLINNEN).

The elements of the present PEP cannot be compared with elements from another program.

Document in compliance with ISO 14025:2010: "Environmental labels and declarations - Type III environmental declarations"

In compliance with ISO 14040:2006: "Environmental management - LCA - Principles and framework"

In compliance with ISO 14044:2006: "Environmental management - LCA - Requirements and guidelines"

In alignment with EN 15804:2012+A1:2013: "Sustainability of construction works - EPD's - Core rules for the product category of construction products"

